

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/702,524	10/31/2000	Robert A. Yennaco	5160-04	7219
7590 04/21/2005			EXAMINER	
Robert C. Kowert			THAI, CUONG T	
Meyertons, Hood, Kivlin, Kowert & Goetzel, P.C. P.O. Box 398 Austin, TX 78767-0398			ART UNIT	PAPER NUMBER
			2173	
		DATE MAILED: 04/21/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/702,524	YENNACO, ROBERT A.			
		Examiner	Art Unit			
		CUONG T THAI	2173			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE - External after - If the - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REAMAILING DATE OF THIS COMMUNICATION INSIGNS of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory perion to reply within the set or extended period for reply will, by state ply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply be reply within the statutory minimum of thirty (30) iod will apply and will expire SIX (6) MONTHS stute, cause the application to become ABAND	be timely filed) days will be considered timely. from the mailing date of this communication. ONED (35 U.S.C. § 133).			
Status						
1) Responsive to communication(s) filed on November/16/04 Amendment.						
	This action is FINAL . 2b)⊠ This action is non-final.					
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠ Claim(s) <u>21-67</u> is/are pending in the application.						
	4a) Of the above claim(s) <u>1-20</u> is/are withdrawn from consideration.					
5)	5) Claim(s) is/are allowed.					
6)⊠	☑ Claim(s) <u>21-67</u> is/are rejected.					
7)						
8)[]	Claim(s) are subject to restriction and	d/or election requirement.				
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
 1. ☐ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No. 						
 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage 						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) 🔲 Inforn	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/0		nal Patent Application (PTO-152)			
Paper No(s)/Mail Date 6) ☐ Other:						

Application/Control Number: 09/702,524 Page 2

Art Unit: 2173

PART III. DETAILED ACTION

1. This action is responsive to Amendment filed on November 16, 2004. The prosecution is hereby REOPENED.

2. Claims 21-67 are presented for examination. Claims 1-20 have been canceled. Claims 47-68 have been renumbered as 46-67, respectively.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 21-22, 24-25, 29-36, 38-39, 43-45, 47-51, 53-54, 58-65, and 67-68 are rejected under 35 U.S.C. 103(a) as being unpatentably over Cook et al. (USPN: 5,727,950) hereinafter Cook in view of Martinez (USPN: 5,546,521).

As per claims 21 (method), 35 (device), 50 (computer medium), 64 (system), Cook discloses a method comprising:

Maintaining a cache specific to help data for one or more user interface components is taught by Cook as the technique of large files of <u>reading</u>, <u>mathematics and related topics</u>, <u>spellings</u>, <u>writing</u>, <u>and other language arts</u> (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for

Application/Control Number: 09/702,524

Art Unit: 2173

downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data. In any case, the student data object, which contain all permanent and read –write data, is stored between sessions on a server (see col. 16, lines 20-27) or maintaining on cache disk 209 (see Fig. 2A).

Cook, however, does not discloses the limitations of in response to receiving a request for help data for a newly referenced one of the components, loading the help data for the referenced component into the cache if the help data for the referenced component is not in the cache, and supplying the help data for the referenced component for user presentation.

Martinez discloses the limitations of in response to receiving a request for help data for a newly referenced one of the components, loading the help data for the referenced component into the cache if the help data for the referenced component is not in the cache, and supplying the help data for the referenced component for user presentation as the techniques of responsive to the determination that an object is present underneath the pointer (see col. 2, lines 50-52), the shared memory in dynamic table database 41, from which Infomouse 35 can read help information. The dynamic help table 41 is on additional shared memory segment to the static help contained in database table 40 which is loaded from storage disk (see col. 5, lines 53-57) and maintained in memory management 25 (see Fig. 2), and guidelines for its graphical user interface (see col. 6, line 44).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez 's teachings of in response to receiving a request for help data for a newly referenced one of the components, loading the help data for the referenced

component into the cache if the help data for the referenced component is not in the cache, and supplying the help data for the referenced component for user presentation into that of Cook's invention. By doing so, the system would be enhanced by capable of tracking what kind of help its end user needed, and updating from dynamic table storage, and presenting help information to its end user. Thus, the system would provide an enhanced contextual help to its end user.

As per claims 22 (method), 36 (device), 51 (computer medium), and 65 (system); Cook discloses the invention substantially as claimed above. Cook, however, does not disclose the limitation of if the help data for the referenced component is in the cache, supplying the help data for the referenced component from the cache.

Martinez discloses the limitation of if the help data for the referenced component is in the cache, supplying the help data for the referenced component from the cache as the technique of the static help contained in database table 40 which is loaded from disk storage 26 (see col. 5, lines 56-57).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez's teaching of if the help data for the referenced component is in the cache, supplying the help data for the referenced component from the cache into that of Cook's invention. By doing so, the system would be enhanced by capable of presenting help information to its end user. Thus, the system would provide an enhanced contextual help to its end user.

As per claims 24 (method), 38 (device), 53 (computer medium), and 67 (system); Cook discloses the limitation of loading into the cache help data for one or more non-referenced user interface components associated with the referenced component as the technique of large files of reading, mathematics and related topics, spellings, writing, and other language arts (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data. In any case, the student data object, which contain all permanent and read –write data, is stored between sessions on a server (see col. 16, lines 20-27) or maintaining on cache disk 209 (see Fig. 2A).

These claims are therefore rejected for the reasons as set forth above.

As per claims 25 (method), 39 (device), 54 (computer medium), and 68 (system), Cook discloses the invention substantially as claimed above. Cook, however, does not disclose the limitation of wherein said loading help data for the one or more non-referenced components is performed in a background process.

Martinez discloses the limitation of loading help data is performed in a background process as the technique of application represented by application C39 contains neither static or dynamic help. This type of application is simply ignored by Infomouse 35. However, the help facility does not interfere with operation of application C39 despite the fact that is running on the top of it (see col. 6, lines 1-6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez's teaching of loading help data is performed in a

background or underneath process into that of Cook's invention. By doing so, the system would be enhanced by capable of loading and running generic non-referenced of particular component to its end user. Thus, the system would provide information associated with that component to its end user.

As per claims 29 (method), 43 (device), and 58; due to the similarities of each of these claims to that of claims 24, 38, and 53; respectively, these claims are therefore rejected for the reasons as set forth above.

As per claims 30 (method), 44 (device), and 59 (computer medium); the limitation of wherein said loading comprises loading the help data into the cache from a remote source across a network is taught by Cook as the technique of the student data object which contains all permanent and read-write student data is stored between sessions on a server. This permits a student to access the ABI (Agent Based Instruction) system services from any available client system at any time by simply downloading the student data object to that client system (see col. 16, lines 25-30) through public packet switching network (see col. 15, line 62). These claims are therefore rejected for the reasons as set forth above.

As per claims 31 (method), 45 (device), and 60 (computer medium); Cook discloses the invention substantially as claimed above. Cook, however, does not disclose the limitation of wherein said receiving a request comprises receiving a notification event in response to a user

changing focus in a dialog box, wherein the notification event comprises an indication of the reference component.

Martinez discloses the limitation of receiving a notification event in response to a user changing focus in a dialog box, wherein the notification event comprises an indication of the reference component as the technique of Oversee 37 is an aware application, it updates help message to be displayed over the server icon 61 depending on the status of the object. The message "server is up and running" is an example of status information (see col. 7, lines 42-46) and the pointer has moved to a window control icon in the dialog box 47. Again, Infomouse 35 queries the operating system 31 for the pointer position 49 is over an object in the graphical user interface. In responsive to the message that it is over the window control 61, the Infomouse 35 first refers to the dynamic table 41, finding no help string, it then refers to the static table 40, finds help and displays a the message "double click to closes the dialog box" in help information window 60 (see col. 7, lines 53-62).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez's teaching of receiving a notification event in response to a user changing focus in a dialog box, wherein the notification event comprises an indication of the reference component into that of Cook's invention. By doing so, the system would be enhanced by capable of sending the notification message in the case of the user changes the focus control on the dialog box. Thus, the system would provide a notification tool to its end user.

As per claims 32 (method), 47 (device), and 61 (computer medium); Cook discloses the invention substantially as claimed above. Cook, however, does not disclose the limitation of

receiving a preload request indicating one or more of the components, loading into the cache help data for each of the indicated components.

Martinez discloses the limitation of receiving a preload request indicating one or more of the components, loading into the cache help data for each of the indicated components as the technique of within the graphical user interface, operating system 31 is IBM's OS/2 with the help facility 35 and applications A, B and C 37, 38 and 39, which represents three types of applications compatible with the preferred architecture of the help application 35 (see col. 5, lines 39-44 and also see Fig. 3).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez's teaching of receiving a preload request indicating one or more of the components, loading into the cache help data for each of the indicated components into that of Cook's invention. By doing so, the system would be enhanced by capable of providing multiple applications in conjunction with the help facility to its end user.

As per claims 33 (method), 48 (device), and 62 (computer medium); due to the similarities of each of these claims to that of claims 24, 38, and 53; respectively, these claims are therefore rejected for the reasons as set forth above.

As per claims 34 (method), 49 (device), and 63 (computer medium); Cook discloses the invention substantially as claimed above. Cook, however, does not disclose the limitation of wherein the cache is one of a plurality of maintained caches specific to help data, wherein each

cache includes help data for one or more user interface components of a user interface section of a respective plurality of user interface sections.

Martinez discloses the limitation of wherein the cache is one of a plurality of maintained caches specific to help data, wherein each cache includes help data for one or more user interface components of a user interface section of a respective plurality of user interface sections as the technique of dynamic help table 41 and static help table 40 (see col. 8, lines 64-65 and see Fig. 9) wherein the dynamic help table 41 oversee of system up, server icon, server is up and running while the static help table 40 oversee minimize of window and open/close of dialog box, respectively (see Fig. 9).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Martinez's teaching of wherein the cache is one of a plurality of maintained caches specific to help data, wherein each cache includes help data for one or more user interface components of a user interface section of a respective plurality of user interface sections into that of Cook's invention. By doing so, the system would be enhanced by capable of allowing user easy to recognize the functional of multiple caches in the entire help system.

5. Claims 23, 37, 52, and 66 are rejected under 35 U.S.C. 103(a) as being unpatentably over Cook et al. (USPN: 5,727,950) hereinafter Cook in view of Martinez (USPN: 5,546,521) and further in view of Monsen et al. (USPN: 6,606,628 B1) hereinafter Mosen.

As per claims 23 (method), 37 (device), 52 (computer medium), and 66 (system); Cook-Martinez discloses the invention substantially as claimed above. Cook-Martinez, however, do not

disclose the limitation of deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the referenced component.

Monsen discloses the limitation of deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the referenced component as the technique of deleting the file (see col. 5, line 26) which is not performed very frequently (see col. 4, line 28) in order to allocate memory space for other purposes (see col. 5, line 50).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Monsen teaching of deleting the file which is not performed very frequently in order to allocate memory space for other purposes into that of Cook-Martinez combined invention. By doing so, the system would be enhanced by capable of providing enough memory space in order for other purposes. Thus, the system would provide enough preserve memory space to its end user.

6. Claims 26-28, 40-42, and 55-57 are rejected under 35 U.S.C. 103(a) as being unpatentably over Cook et al. (USPN: 5,727,950) hereinafter Cook in view of Martinez (USPN: 5,546,521) and further in view of Medl et al. (USPN: 6,209, 006) hereinafter Medl.

As per claims 26 (method), 40 (device), and 55 (computer medium); Cook-Martinez discloses the invention substantially as claimed above. Cook-Martinez, however, does not disclose the limitation of loading into the cache additional help data indicated by one or more hyperlinks in the help data for the referenced component.

Medl discloses the limitation of loading into the cache additional help data indicated by one or more hyperlinks in the help data for the referenced component as the technique of within the interface displayed to the user on the CRT are various elements of interest 30-32, which are highlighted to enable the user to visually note areas containing additional information which might be helpful to the user to create a better understanding of a definition of the term highlighted or function thereof. Each element has a hyperlink address 40-42 linking to the specified highlighted element to a definition or other related information (see col. 2, lines 48-56 and also see Fig. 1a).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Medl teaching of loading into the cache additional help data indicated by one or more hyperlinks in the help data for the referenced component into that of Cook-Martinez combined invention. By doing so, the system would be enhanced by capable of providing hyperlink address on the help system wherein user can access additional information based on user's desired task.

As per claims 27 (method), 41 (device), and 56 (computer medium); Cook-Martinez discloses the invention substantially as claimed above. Cook-Martinez, however, does not disclose the limitation of loading into the cache further help data indicated by one or more hyperlinks in the additional help data.

Medl discloses the limitation of loading into the cache further help data indicated by one or more hyperlinks in the additional help data as the technique of a user selects particular

<u>element of interest</u> (Definition/Function) by selecting the element using a click of a mouse or equivalent user input function (see col. 2,lines 57-59).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Medl teaching of help data indicated by one or more hyperlinks in the additional help data into that of Cook-Martinez combined invention. By doing so, the system would be enhanced by providing an enhance tool for retrieving additional help information to its end user.

As per claims 28 (method), 42 (device), and 57 (computer medium); Cook-Martinez discloses the invention substantially as claimed above. Cook-Martinez, however, does not disclose the limitations of in response to receiving a request for help data for a referenced one of the hyperlinks in the help data for the referenced component, supplying the additional help data for the referenced hyperlink.

Medl discloses the limitation of in response to receiving a request for help data for a referenced one of the hyperlinks in the help data for the referenced component, supplying the additional help data for the referenced hyperlink as the technique of within the interface displayed to the user on the CRT are various elements of interest 30-32, which are highlighted to enable the user to visually note areas containing additional information which might be helpful to the user to create a better understanding of a definition of the term highlighted or function thereof. Each element has a hyperlink address 40-42 linking to the specified highlighted element to a definition or other related information (see col. 2, lines 48-56 and also see Fig. 1a) and a user

selects particular element of interest by selecting the element using a click of a mouse or equivalent user input function (see col. 2,lines 57-59).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Medl teachings of in response to receiving a request for help data for a referenced one of the hyperlinks in the help data for the referenced component, supplying the additional help data for the referenced hyperlink into that of Cook-Martinez combined invention. By doing so, the system would be enhanced by providing additional help information in term of interest function to its end user base upon user select a particular hyperlink in a help section. Thus, the system would provide an enhance tool for retrieving additional help information to its end user.

7. Applicant's argument filed on November 16, 2004 has been fully considered, but they are not persuasive.

On the fourth paragraph of page 12, with respect to claims 21, Applicant agues that "Cook fails to teach maintaining a cache specific to help data for none or more user interface components". The Examiner, however, does not agree to this argument since Cook discloses the feature of "maintaining a cache specific to help data for none or more user interface components" as the technique of large files of <u>reading</u>, <u>mathematics and related topics</u>, <u>spellings</u>, <u>writing</u>, <u>and other language arts</u> (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data. In any case, the student data object,

which contain all permanent and read -write data, is stored between sessions on a server (see col. 16, lines 20-27) are maintained on cache disk 209 (see Fig. 2A).

On this same paragraph, Applicant agues that "the files downloaded by Cook are not maintained in a cache specific to help data". The Examiner, however, does not agree to this argument since as in Cook's these files of <u>reading</u>, <u>mathematics and related topics</u>, <u>spellings</u>, <u>writing</u>, <u>and other language arts</u> (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data (see col. 16, lines 20-26) of <u>reading</u>, <u>mathematics and related topics</u>, <u>spellings</u>, <u>writing</u>, <u>and other language arts are maintained on cache disk 209 (see Fig. 2A)</u>.

On the first paragraph of page 13, Applicant agues that "Cook doe not mention anything regarding a cache specific to help data. Further, the files downloaded by Cook are not presented to the user as help data for one or more user interface components". The Examiner, however, does not agree to this argument since Cook disclose "a cache specific to help data as <u>files of reading, mathematics and related topics, spellings, writing, and other language arts</u> can be downloaded in advance of a student session then <u>maintained on cache disk 209 (see Fig. 2A)</u>. Cook, further discloses the feature of "help data for one or more user interface components" as <u>help data files of reading, mathematics and related topics, spellings, writing, and other language arts</u>.

On the second paragraph of page 13, Applicant agues that "Cook fails to disclose anything regarding providing help for user interface components". The Examiner, however, does not agree to this argument since Cook discloses "providing help for user interface components" as help data files of reading, mathematics and related topics, spellings, writing, and other language arts.

On the first paragraph of page 14, Applicant agues that "The Examiner relies upon Martinez to disclose, because Cook fails to teach loading the help data for a reference component into the cache if the help data for the referenced component is not in the cache. However, contrary to the Examiner's assertion, Martinez clearly fails to tech such a system". The Examiner, however, does not agree to this argument since Martinez discloses the feature of "loading the help data for a reference component into the cache if the help data for the referenced component is not in the cache" as the technique of the dynamic help table 41 is on additional shared memory segment to the static help contained in database table 40, are loaded from the disk storage 26 (see col. 5, lines 55-57) and maintained in Memory Management 25 (see Fig. 2). Thus, Martinez inherently teaches the feature of loading the help data from the dynamic table 41, on additional memory to the static help table 40, are loaded from the disk storage 26 (see col. 5, lines 55-57) and maintained in Memory Management 25 (in order to avoid of redundancy then the help data for the reference does not required loading step if the help data is in the cache).

On the first paragraph of page 14, Applicant agues that "None of these sections mentions anything regarding a cache specific to help data, nor about loading into a cache help data for a user interface component for which no help data is currently in the cache". The Examiner, however, does not agree to this argument for at least of the two following reasons:

First of all, the feature of "a cache specific to help data" as indicated by the examiner is taught by Cook as the technique of files of reading, mathematics and related topics, spellings, writing, and other language arts (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data (see col. 16, lines 20-26). Lastly, the feature of "loading into a cache help data for a user interface component for which no help data is currently in the cache" is suggested by Martinez as the technique of the dynamic help table 41 is on additional shared memory segment to the static help contained in database table 40 which is loaded from the disk storage 26 (see col. 5, lines 55-57) are maintained in Memory Management 25 (see Fig. 2). Thus, Martinez inherently teaches the feature of loading the help data from the dynamic table 41, on additional memory to the static help table 40, are loaded from the disk storage 26 (see col. 5, lines 55-57) and maintained in Memory Management 25 (in order to avoid of redundancy then the help data for the reference does not required loading step if the help data is in the cache).

On the second paragraph of page 15, Applicant agues that "In contrast, Martinez explicitly teaches that if no help information is found in the dynamic table 41, help text may be

Page 17

Art Unit: 2173

loaded from the static table 41 and displayed to the user, but it is not loaded into any kind of cache". The Examiner, however, does not agree to this argument since Martinez's discloses that the dynamic help table 41, an additional shared memory segment to the static help contained in database table 40, are loaded from the disk storage 26 (see col. 5, lines 55-57) and maintained in Memory Management 25 (see Fig. 2).

On the first paragraph of page 16, Applicant agues that "claim 21 is clearly not supported by the teachings of the cited art and withdrawal thereof is respectfully requested. Similar arguments apply in regard to claims 35, 50 and 64". The Examiner, however, does not agree to this argument. These claims 21, 35, 50 and 64 are therefore rejected for at least of the above reasons.

On the second and third paragraphs of page 16; with respect to claims 23, 37, 52 and 66; Applicant agues that "Martinez fail to teach deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the reference component" and "Neither Cook nor Martinez, separately or in combination, teach deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the referenced component. Thus, the rejection of claim 23 is not supported by the teachings of the cited art and withdrawal thereof is respectfully requested. Similarly arguments in regard to claims 37, 52 and 66".

The Examiner, agree that the combination of Cook and Martinez lack of the limitation of "deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the referenced component".

However, Monsen discloses the limitation of deleting the least recently requested help data in the cache if there is not enough free space in the cache to store the help data for the referenced component as the technique of deleting the file (see col. 5, line 26) which is not performed very frequently (see col. 4, line 28) in order to allocate memory space for other purposes (see col. 5, line 50).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include Monsen teaching of deleting the file which is not performed very frequently in order to allocate memory space for other purposes into that of Cook-Martinez combined invention. By doing so, the system would be enhanced by capable of providing enough memory space in order for other purposes. Thus, the system would provide enough preserve memory space to its end user.

On the last paragraph of page 16 to the second paragraph of page 17, with respect to claims 24, 38, 53 and 67; Applicant agues that "Regarding claim 24, Martinez fails to teach loading into the cache help data for one or more non-referenced user interface components associated with a reference component.... neither this passage, nor the entirely of Martinez, teaches the loading of help data for one or more non-referenced user interface components associated with a reference component. Cook further fails to teach loading into the cache help data for one or more non-referenced user interface components associated with a reference

component. Thus, the rejection of claim 24 is not supported by the teachings of the cited art and withdrawal thereof is respectfully requested. Similar arguments apply in regard to claims 29, 38, 43,53, 58 and 67". The Examiner, however, do not agree to this argument for at least of the following reason:

The limitation of "loading into the cache help data for one or more non-referenced user interface components associated with the referenced component" is taught by Cook as the technique of large files of reading, mathematics and related topics, spellings, writing, and other language arts (see col. 3, lines 26-27) can be downloaded in advance of a student session or the student client can cache read-only data across obviating the need for downloading such files. Such caching requires the operating system components to maintain form of version control of the read only data. In any case, the student data object, which contain all permanent and read—write data, is stored between sessions on a server (see col. 16, lines 20-27) or maintaining on cache disk 209 (see Fig. 2A). Strands of Reading, Mathematics and related topic, spelling, writing, and other language arts, from grades one to six, or perhaps to eight or nine can be downloaded in advance of a student session. Thus, claims 24, 29, 38, 43, 53, 58 and 67 are therefore rejected for the reason as set forth above.

On the third paragraph of page 17 to the second paragraph of page 18; with respect to claims 32, 47, and 61; Applicant agues that "In fact, Martinez fails to teach anything regarding receiving a preload request indicating one or more component. Nor does Martinez teach anything about loading, into a cache, help data for each of the indicated components in response to receiving such a preload request" and "Thus, the rejection of claim 32 is not supported by the

Application/Control Number: 09/702,524 Page 20

Art Unit: 2173

teachings of the cited art and withdrawal thereof is respectfully requested. Similar arguments apply in regard to claims 47 and 61".

The Examiner, however, do not agree to this argument since Martinez discloses the limitation of "loading into the cache help data for each of the indicated components a preload request" as the technique of within the graphical user interface, operating system 31 is IBM's OS/2 with the help facility 35 and applications A, B and C 37, 38 and 39, which represents three types of applications compatible with the preferred architecture of the help application 35 (see col. 5, lines 39-44 and also see Fig. 3). Thus, clearly Martinez discloses that the graphical user interface supported by IBM OS/2 operating system loading into help application 35 the three preloaded applications A 37, B 38, and C 39, respectively. Therefore claims 32, 47, and 61 are rejected for at least of the reasons as set forth above.

On the third paragraph of page 18, with respect to claims 26-28, 40-42, and 55-57;

Applicant agues that "Claims 26-28, 40-42 and 55-57 are rejected under U.S.C. § 103 (a) as being unpatentable over Cook in view of Martinez, and further in view of Medl et al. (US Patent 6,209,006) (hereinafter "Medl"). Applicants traverse this rejection for at least the reasons given above in regard to the respective independent claims". The Examiner, however, do not agree to this argument, these claims 26-28, 40-42, and 55-57 are rejected due to their dependencies upon independent claims 21, 35, and 49, respectively.

Conclusion

Application/Control Number: 09/702,524

Art Unit: 2173

8. A shortened statutory period for the response to this action is set to expired THREE

MONTHS, ZERO DAYS from the date of this action. Failure to respond within the period for

responsive will cause the application to be abandoned.

9. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to CUONG T THAI whose telephone number is (571) 272-4056.

The examiner can normally be reached on 8:00 am - 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John W. Cabeca can be reached at (571) 272-4048. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CUONG T THAI

Examiner

Art Unit 2173

April 15, 2005

JOHN CABECA

Page 21

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100